TEGO AIREX 900

Version 5.1 / US VA-No.

11/25/2014 Revision date Print Date 09/22/2015 Page 1/10



1. Identification of the substance/mixture and of the company/undertaking

1.1. **Product identifier**

: TEGO AIREX 900 Trade name

Chemical Name : Organo-modified polysiloxane

1.2. Recommended use of the chemical and restrictions on use

Recommended use : Industrial Use Non-recommended

use(s)

: None known.

Details of the supplier of the safety data sheet

Company : Evonik Corporation

Consumer Specialties

PO Box 1299

HOPEWELL VA 23860

USA

Telephone : +1 (0)804 541-8658 Telefax : +1 (0)804 541-2783

E-mail : products afety-cs @evonik.com

Contact Canada

: Evonik Canada Inc. Company

PO Box 5057

3380 South Service Road Burlington ON L7N 3J5

Canada

Telephone : +1 (0)905-336-3423 Telefax : +1 (0)905-332-5632

E-mail : products a fety-cs @evonik.com

Emergency telephone number

Emergency : Non-Emergency Phone Number: (800) 732-5616

In case of emergency call CHEMTREC US: 1-800-424-9300, CHEMTREC WORLD: information

1-703-527-3887.

24 HOUR EMERGENCY TELEPHONE NUMBERS: CHEMTREC - US & CANAD A toll free: +1-800-424-9300 CHEMTREC - MEXICO toll free: 01-800-681-9531

CHEMTREC GLOBAL - Collect calls accepted: +1-703-527-3887

2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation 29CFR 1910.1200

Flammable liquids Category 4 H227

2.2. Label elements

Signal word : Warning

hazard statement : H227 - Combustible liquid

: P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. Precautionary

TEGO AIREX 900

Version 5.1 / US VA-No.

11/25/2014 Revision date Print Date 09/22/2015 Page 2/10



Statement

P210d - Keep away from open flames / hot surfaces. - No smoking.

(Prevention)

Precautionary : P370 + P378 - In case of fire: Use alcohol-resistant foam, carbon dioxide or dry sand Statement

for extinction.

(Response)

Precautionary

: P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

Statement (Storage)

2.3. Other hazards

None known

Composition/information on ingredients 3.

3.1. **Substances**

3.2. **Mixtures**

Classification according to Regulation 29CFR 1910.1200

| Chemical Name | NJ Trade secrets CAS-No. | Concentration | Classification |
|---|-----------------------------|-----------------|----------------|
| Siloxanes and Silicones, di-Me, reaction products with silica | - 67762-90-7 | >= 5 % - < 10 % | |

Texts of H phrases, see in Chapter 16

4. First aid measures

Description of first aid measures 4.1.

: No information available. General advice

Inhalation : No special first aid measures required.

: Immediately and thoroughly, wash off with soap and water. Skin contact

Eye contact : Flush eye(s) for 15 minutes or more; if irritation persists, consult a physician

(preferably an eye specialist) and show MSDS.

Ingestion : If swallowed, seek medical attention and show MSDS.

Most important symptoms and effects, both acute and delayed

: No information is on file to date regarding acute and/or delayed post-exposure Symptoms

symptoms and effects.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Fire-fighting measures 5.

5.1. Extinguishing media

Suitable extinguishing : foam, carbon dioxide, dry powder, water spray.

media

Unsuitable : not applicable

extinguishing media

5.2. Special hazards arising from the substance or mixture

TEGO AIREX 900

VA-No. Version **5.1 / US**Revision date **11/25/2014**

Revision date 11/25/2014
Print Date 09/22/2015
Page 3 / 10



In the event of fire the following can be released:

- carbon dioxide, carbon monoxide
- Silicon dioxide

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not allow to enter drains or waterways Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder) Dispose of absorbed material in accordance with the regulations.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe

: Ensure adequate ventilation.

handling

Handling : no data available

Hygiene measures : No smoking, eating or drinking allowed when using this product. Wash hands before

breaks and at end of work shift. No other precautions required.

Do not eat, drink or smoke when working.

General protective

measures

: no data available

7.2. Conditions for safe storage, including any incompatibilities

Prevention of fire and explosion

Information : Keep away from sources of ignition - no smoking

Take precautionary measures against electrostatic loading.

Cool endangered containers by water spray

Storage

Information : none

8. Exposure controls/personal protection

8.1. Control parameters

Exposure limit(s)

| Ingredients | CAS-No. | Statutory basis/list (Update) | Value type (Form of exposure; Expressed as) | Value | Short-term |
|--|------------|-------------------------------------|---|---------|------------|
| Siloxanes and Silicones, di-Me, reaction products with silica | 67762-90-7 | OSHA PEL | TWA | 5 mg/m3 | |

TEGO AIREX 900

VA-No. Version 5.1 / US
Revision date 11/25/2014

Revision date 11/25/2014
Print Date 09/22/2015
Page 4 / 10



ACGIH TLV TWA 5 mg/m3

8.2. Exposure controls

Engineering controls

Appropriate

: Good general (mechanical) ventilation should be sufficient to control airborne levels.

engineering controls

Personal protective equipment

Eye protection : Use chemical resistant goggles or safety glasses with side shields.

Hand protection : Examples of suitable gloves are those made by the company Kächele-Cama Latex

GmbH, Am Kreuzacker 9, D-36124 Eichenzell, e-mail vertrieb@kcl.de, with subsequent specification (test according to EN374); specific workplace conditions

must be separately taken into account.

These recommendations apply only to the product mentioned in the material data

safety sheet that we supply and the purpose that we indicate.

Glove material: gloves made of nitril (NBR)

Break through time: 480 min Glove thickness: 0.11 mm

Glove material: gloves made of natural latex

Break through time: 480 min Glove thickness: 0.5 mm

Glove material: gloves made of chloroprene (CR, e.g. Neoprene)

Break through time: 480 min Glove thickness: 0.65 mm

Glove material: gloves made of butyl (IIR)

Break through time: 480 min Glove thickness: 0.7 mm

Body Protection : light protective clothing

Respiratory protection

: Respiratory protection is not required.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : liquid

Form : liquid

Colour : brown, cloudy
Odour : Solvent-like
Odour Threshold : not measured

pH : not applicable, delivered form

Melting point : not measured

Boiling point : not measured

Flash point : 199 °F

Method: TAG CC

TEGO AIREX 900

Version 5.1 / US VA-No. Revision date 11/25/2014 09/22/2015

Print Date Page 5/10



Evaporation rate : not measured

Flammability : no data available

Upper Explosion/Ignition

Limit

: not measured

Lower explosion limit : not measured

Vapour pressure : not measured

Relative vapour

density

: not measured

Relative density : no data available

Solubility : not measured

Water solubility : insoluble

Partition coefficient

(n-octanol/water)

: not measured

Autoignition temperature : not measured

Thermal

decomposition

: not measured

Viscosity, kinematic : no data available

: 70 - 180 mPa·s Viscosity, dynamic

(25 °C)

Explosive properties : not measured

Oxidising properties : not measured

9.2. Other information

> Density : 1.007 g/cm3

Metal corrosion : not measured Ignition temperature : not measured

10. Stability and reactivity

10.1. Reactivity

see section "Possibility of hazardous reactions"

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

TEGO AIREX 900

Version 5.1 / US VA-No.

Revision date 11/25/2014 Print Date 09/22/2015 Page 6/10



No hazardous reactions with proper storage and handling.

10.4. Conditions to avoid

None

10.5. Incompatible materials

Unknown

10.6. Hazardous decomposition products

None with proper storage and handling.

11. **Toxicological information**

11.1. Information on toxicological effects

Acute to xicity (oral) : no data available

Acute to xicity

: no data available

(inhalation)

Acute to xicity (demal)

: no data available

Irritation/corrosion of

: no data available

the skin

Serious eye damage/

: no data available

eye irritation Respiratory/skin

sensitization

: no data available

Repeated dose

toxicity

: no data available

CMR assessment

Carcinogenicity : no data available Mutagenicity : no data available Teratogenicity : no data available Toxicity to : no data available

reproduction

Specific Target Organ Toxicity -Single exposure : no data available

Specific Target

: no data available

Organ Toxicity -Repeated exposure

: No Aspiration toxicity classification

Aspiration hazard Other information

: Proper use provided, no adverse health effects have been observed or have been

come to our knowledge.

Eye contact may produce an oil film over the eye-ball causing a harmless reversible

shortlasting dimness of sight.

12. **Ecological information**

Ecotoxicology Assessment

Acute aquatic toxicity : no data available

US-GHS(R11/011) / 22.0920151424

TEGO AIREX 900

Version 5.1 / US VA-No. Revision date 11/25/2014 Print Date

09/22/2015 Page 7/10



Chronic aquatic toxicity

: no data available

12.1. Toxicity

Aquatoxicity, fish : no data available

Aquatoxicity, invertebrates : no data available

Aquatoxicity, algae / aquatic plants

: no data available

Toxicity in microorganisms : no data available

chronic toxicity in fish

: no data available

Chronic toxicity in aquatic Invertebrates

: no data available

Toxicity in organisms which live in the soil

: no data available

Toxicity in terrestrial

plants

: no data available

Toxicity to Above-**Ground Organisms**

: no data available

12.2. Persistence and degradability

Photodegradation : no data available

Biological degradability : no data available

Physico-chemical removability

: no data available

Biochemical Oxygen

Demand (BOD)

: no data available

Chemical Oxygen Demand (COD)

: no data available

relation of BOD/COD : no data available

Dissolved organic carbon (DOC)

: no data available

Adsorbed organic bound halogens

: no data available

(AOX)

Distribution among environmental compartments

: no data available

TEGO AIREX 900

VA-No. Version 5.1/US

Revision date 11/25/2014
Print Date 09/22/2015
Page 8 / 10



12.3. Bioaccumulative potential

Bioaccumulation : no data available

12.4. Mobility in soil

Environmental distribution

: no data available

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

: no data available

12.6. Other adverse effects

General Information : As far as known, the product will not cause any substantial disturbance of ecological

processes or equilibriums.

13. Disposal considerations

13.1. Waste treatment methods

Product : In accordance with local authority regulations, take to special waste incineration plant

Contaminated packaging

: If empty contaminated containers are recycled or disposed of, the receiver must be

informed about possible hazards.

14. Transport information

Not dangerous according to transport regulations.

14.1 UN number:

14.2 UN proper shipping name:

14.3 Transport hazard class (es): --

14.4 Packing group: -14.5 Environmental hazards: --

14.6 Special precautions for user: Yes

For USA only: This product is not regulated in packages < 119 gallons / 450 L. In bulk packages this products

is a Combustible Liquid, NA1993.

15. Regulatory information

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation and the (M)SDS contains all information required by the Controlled Products Regulation

Canada : WHMIS CLASSIFICATION

Class B, Division 3, Combustible Liquid

This product does not contain component(s) on the WHMIS Ingredient Disclosure

List.

US regulations:

SAR A Title III Section : Fire Hazard

TEGO AIREX 900

VA-No. Version **5.1 / US**Revision date **11/25/201**4

Revision date 11/25/2014
Print Date 09/22/2015
Page 9 / 10



311/312 Hazard Categories

State Right to Know : SARA 313: This product contains no SARA Title III, Section 313 listed chemicals.

ZUSPA_RTK: No components subject to "Right-To-Know" legislation in the following

States:

ZUSMA_RTK: No components subject to "Right-To-Know" legislation in the following

States:

ZUSNJ RTK: No components subject to "Right-To-Know" legislation in the following

States:

US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)

This product does not contain any chemicals known to State of California to cause cancer, birth defects or any other harm.

HMIS Ratings Health: 1

Flammability: 2
Reactivity: 0
Personal Protection: X

Notification status

USA (TSCA) : listed/registered or exempted Canada (DSL) : listed/registered or exempted

16. Other information

List of references

Revision date : 11/25/2014

Changes since the last version are highlighted in the margin. This version replaces all previous versions. This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

TEGO AIREX 900

VA-No. Version **5.1 / US**Revision date **11/25/2014**

Revision date 11/25/2014
Print Date 09/22/2015
Page 10 / 10



Legend

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADNR European agreement concerning the international carriage of dangerous goods by inland

waterways (ADN)

ASTM American Society for Testing and Materials

ATP Adaptation to Technical Progress

BCF Bioconcentration factor

BetrSichV German Ordinance on Industrial Safety and Health

c.c. closed cup

CAS Chemical Abstract Services

CESIO European Committee of Organic Surfactants and their Intermediates

Chem G German Chemicals Act

CMR carcinogenic-mutagenic-toxic for reproduction

DIN German Institute for Standardization

DMEL Derived minimum effect level
DNEL Derived no effect level

EINECS European Inventory of Existing Commercial Chemical Substances

EC50 half maximal effective concentration

GefStoffV German Ordinance on Hazardous Substances

GGVSEB German ordinance for road, rail and inland waterway transportation of dangerous goods

GGVSee German ordinance for sea transportation of dangerous goods

GLP Good Laboratory Practice
GMO Genetic Modified Organism

IATA International Air Transport Association
ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
ISO International Organization For Standardization

LOAEL Lowest observed adverse effect level

LOELLowest observed effect levelNOAELNo observed adverse effect levelNOECno observed effect concentration

NOEL no observed effect level

o. c. open cup

OECD Organisation for Economic Cooperation and Development

OEL Occupational Exposure Limit
PBT Persistent, bioaccumulative, toxic
PEC Predicted effect concentration
PNEC Predicted no effect concentration

REACH REACH registration

RID Convention concerning International Carriage by Rail

STOT Specific Target Organ Toxicity
SVHC Substances of Very High Concern

TA Technical Instructions

TPR Third Party Representative (Art. 4)

TRGS Technical Rules for Hazardous Substances
VCI German chemical industry association
vPvB very persistent, very bioaccumulative

VOC volatile organic compounds

VwVwS German Administrative Regulation on the Classification of Substances Hazardous to Waters

into Water Hazard Classes

WGK Water Hazard Class
WHO World Health Organization